



# AMMO SAFETY DATA SHEET (MSDS)

According to Regulation (EC) No. 453/2010

## ANTI SLIP (A.MIG-2033 / A.MIG-2034 / A.MIG-2035)

English

Revision date / valid from: 01/03/2021

Version: 2

### 1. Identification of the substance/mixture and of the company/undertaking

Trade Name	ANTI SLIP COLORS A.MIG-2033 / A.MIG-2034 / A.MIG-2035
Use of the substance/Mixture	Textured acrylic paint
Company	AMMO of Mig Jimenez, S.L.
Address	C/ Mauriain 3. 31132 Villatuerta, Navarra (Spain)
Telephone	+34 948 552 882
Email	<a href="mailto:info@migjimenez.com">info@migjimenez.com</a>
Website	<a href="https://www.migjimenez.com">https://www.migjimenez.com</a>
Emergency telephone number	+34 902 104 104. Emergency for intoxications and transport accidents. Service available 24h.

### 2. Composition/information on ingredients

Chemical nature: Paints, whose vehicle is an aqueous dispersion of acrylic resin.

### 3. Hazards identification

Product not classified as " Dangerous preparation " according to EEC criteria.

### 4. First aid measures

#### 4.1 Description of first aid measures

If inhaled:

Position the casualty in the open air.

On skin contact:

Remove contaminated clothing. Wash thoroughly with water.

On contact with eyes:

Rinse thoroughly with water. If irritation persists, seek medical advice.

On ingestion:

If the affected person is not unconscious, give water or milk to drink. Do not induce vomiting. Seek medical attention.

### 5. Firefighting measures

Suitable extinguishing media: All.

Special precautions:

Aqueous liquid, no particular risk in case of fire.

Possible increase of pressure in hermetically sealed containers or tanks due to the action of heat.

### 6. Accidental release measures

Cut the leak. Turn damaged containers upright. Avoid flushing into sewage system. Recover as much product as possible. Wash the stained area with plenty of water.



# AMMO SAFETY DATA SHEET (MSDS)

According to Regulation (EC) No. 453/2010

## ANTI SLIP (A.MIG-2033 / A.MIG-2034 / A.MIG-2035)

English

Revision date / valid from: 01/03/2021

Version: 2

### 7. Handling and storage

Handle in accordance with good industrial hygiene and safety practice. Do not mix with incompatible materials (see list in section 10).

Storage: Store in a cool, dry place. Stable for at least 6 months.

Store away from temperatures below 0°C and above 30°C.

Incompatible materials: products that react with water

### 8. Exposure controls/personal protection

No specific or particular measures are required. Respect general safety and industrial hygiene rules. industrial hygiene.

Respiratory protection: When using an airbrush, it is advisable to use adequate protection to breathe vapours, as well as plenty of ventilation.

Skin protection: gloves.

Eye protection: it is advisable to use protective goggles when pouring the contents.

### 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: pasty liquid

Colour: depending on pigment

Odour: slight

PH: 7.5-8.5

Freezing: approx. 0°C

Boiling: 100°C

Decomposition temperature: >320°C

Flammability characteristics: Flash point: not applicable

Oxidising properties. Non-combustible according to EEC criteria

Explosive limits in air: not applicable (aqueous liquid)

Specific gravity (15°C): approx. 1.36 g/mL

Solubility in water: miscible at any ratio.

Solubility in organic solvents: insoluble in the usual organic solvents.

Vapour pressure: 23 hPa at 20°C (water).



# AMMO SAFETY DATA SHEET (MSDS)

According to Regulation (EC) No. 453/2010

## ANTI SLIP (A.MIG-2033 / A.MIG-2034 / A.MIG-2035)

English

Revision date / valid from: 01/03/2021

Version: 2

### 10. Stability and reactivity

The product is stable if stored and handled as prescribed/indicated.

Substances to avoid:

Hidrurs, and materials which react with water.

### 11. Toxicological information

There are no specific data, but by analogy, the product is not considered to present particular risks by ingestion. In case of prolonged or repeated contact, it may cause slight skin irritation. May cause slight, transient irritation of the mucous membranes of the eye.

### 12. Ecological information

Very little biodegradable product. Usual final destination of the product: water. Effect on the aquatic environment: no data available.

### 13. Disposal considerations

Do not dispose of waste directly through the drain. It must be submitted to physical-chemical treatment before being thrown away. Coagulate the particles in dispersion with alumina sulphate or calcium chloride, decant and neutralize the contaminated waters before being thrown away (pH between 5.5 and 8.5).

### 14. Transport information

Rail-road NO regulation.

Seaway NO regulation.

By air NO regulation.

Not dangerous goods for ADR, RID, IMDG and IATA.

### 15. Regulatory information

No dangerous goods labelling required according to EEC directives 67/548 and 88/379.

### 16. Other information

This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.