

Page 1/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)
- · Article number: B-613
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Coating
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 GSI EUROPE Import + Export GmbH
 Louise-Dumont-Str. 31
 40211 DÜSSELDORF
 GERMANY
- · Further information obtainable from: Hobby Department
- Emergency telephone number: During normal opening times: +49/211/1665 98420

2 Hazards identification

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

 $\langle ! \rangle$

Eye Irrit. 2H319Causes serious eye irritation.STOT SE 3H336May cause drowsiness or dizziness.

· Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Danger

(Contd. on page 2)

GB



Page 2/12

GB

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 Version number 2.0 (replaces version 1.0)

Printing date 07.06.2024

- (1

Revision: 07.06.2024

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

Hazard-deterr	nining components of labelling:
propan-2-ol	
Hazard staten	nents
H222-H229 Ex	tremely flammable aerosol. Pressurised container: May burst if heated.
	auses serious eye irritation.
	ay cause drowsiness or dizziness.
Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources No smoking.
P251	Do not pierce or burn, even after use.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Other hazards	5
Results of PB	T and vPvB assessment

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous comport	nents:	
CAS: 115-10-6 FINECS [:] 204-065-8	dimethyl ether Flam. Gas 1A, H220; Press. Gas (Comp.), H280	>25–≤50%
CAS: 67-63-0	 ♦ Flam: Gas 1A, H226, Fless: Gas (Comp.), H266 propan-2-ol ♦ Flam: Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336 	≥20–≤25%
CAS: 107-98-2 EINECS: 203-539-1	1-methoxy-2-propanol	>2.5–≤10%
CAS: 111-76-2	2-butoxyethanol	>2.5-<10%
EINECS: 203-905-0	Acute Tox. 3, H311; Acute Tox. 3, H331; () Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
	ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	
		Contd. on page 3)



Page 3/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

	(Contd. of page 2)
CAS: 64-17-5 ethanol	≤2.5%
EINECS: 200-578-6 🚸 Flam. Liq. 2, H225	
CAS: 78-83-1 butanol	≥1–≤2.5%
EINECS: 201-148-0 🚸 Flam. Liq. 3, H226; 🚸 Eye Dam. 1, H318 STOT SE 3, H335-H336	8; 🔶 Skin Irrit. 2, H315;
CAS: 1333-86-4 Carbon black	≤2.5%
EINECS: 215-609-9 🚸 Self-heat. 2, H252	
• Additional information: For the wording of the listed hazard phr	ases refer to section 16.

4 First aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

GB -



Page 4/12

Safety data sheet

Printing date 07.06.2024

according to Regulation (EC) No 1907/2006, Article 31
Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

(Contd. of page 3)

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Ingre	dients with limit values that require monitoring at the workpla	ce:
115-1	0-6 dimethyl ether	
WEL	Short-term value: 958 mg/m³, 500 ppm Long-term value: 766 mg/m³, 400 ppm	
67-63	-0 propan-2-ol	
WEL	Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	
107-9	8-2 1-methoxy-2-propanol	
WEL	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk	
111-7	6-2 2-butoxyethanol	
WEL	Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV	
64-17	-5 ethanol	
WEL	Long-term value: 1920 mg/m³, 1000 ppm	
		(Contd. on page



Page 5/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

78-83-1 butanol	(Contd. of page
WEL Short-term value: 231 mg/m ³ , 75 ppm	
Long-term value: 251 mg/m², 75 ppm	
1333-86-4 Carbon black	
WEL Short-term value: 7 mg/m ³	
Long-term value: 3.5 mg/m ³	
Ingredients with biological limit values:	
111-76-2 2-butoxyethanol	
BMGV 240 mmol/mol creatinine	
Medium: urine	
Sampling time: post shift	
Parameter: butoxyacetic acid	
· Additional information: The lists valid during the making were used as ba	sis.
· Exposure controls	
• Appropriate engineering controls No further data; see section 7.	
· Individual protection measures, such as personal protective equipme	nt
 General protective and hygienic measures: 	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
 Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case 	o of intonsivo or longor
exposure use self-contained respiratory protective device.	e of intensive of longer
· Hand protection	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the	substance/ the preparation.
Due to missing tests no recommendation to the glove material can be giver	
preparation/ the chemical mixture.	
Selection of the glove material on consideration of the penetration times, ra	tes of diffusion and the
degradation	
Material of gloves	
The selection of the suitable gloves does not only depend on the material, b	
quality and varies from manufacturer to manufacturer. As the product is a p	
substances, the resistance of the glove material can not be calculated in ac	ivance and has therefore to
be checked prior to the application.	
 Penetration time of glove material The exact break through time has to be found out by the manufacturer of the 	e protective aloves and bas
to be observed.	e protective gloves and has
	(Contd. on page



Page 6/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

(Contd. of page 5)

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

• Eye/face protection Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical pro	operties
· General Information	
· Physical state	Aerosol
· Colour:	Black
· Odour:	Solvent-like
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
 Boiling point or initial boiling point and boiling 	
range	-23.6 °C
· Flammability	Not applicable.
• Lower and upper explosion limit	
· Lower:	1.1 Vol %
· Upper:	26.7 Vol %
· Flash point:	-32.1 °C
Auto-ignition temperature:	238 °C
Decomposition temperature:	Not determined.
· pH	Mixture is non-polar/aprotic.
· Viscosity:	
Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
 Partition coefficient n-octanol/water (log value) 	Not determined.
· Vapour pressure at 20 °C:	4,400 hPa
Density and/or relative density	
Density at 20 °C:	0.75–0.95 g/cm ³
· Relative density	Not determined.
Bulk density:	750–950 kg/m ³
· Vapour density	Not determined.
• Other information	
Appearance:	
· Form:	Aerosol
	(Contd. on page 7)



Page 7/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

	(Contd. of pag
Important information on protection of healt	th
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	82.0 %
VOC (EC)	82.00 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	, old
Aerosois	Extremely flammable aerosol. Pressurised container: May burst if heated.
	Void
Oxidising gases	Void
Gases under pressure	
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.

(Contd. on page 8)

GB



Page 8/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 7)

11 Toxicological information

• Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Ad	cute Toxici	ty Estimates)
Oral	LD50	24,000 mg/kg (ATE)

-		,
Dermal	LD50	8,000 mg/kg (rab)
Inhalative	LC50/4 h	60 mg/l (ATE)

115-10-6 dimethyl ether

Inhalative LC50/4 h 308 mg/l (rat)

 67-63-0 propan-2-ol

 Oral
 LD50
 5,045 mg/kg (rat)

 Dermal
 LD50
 12,800 mg/kg (rabbit)

Inhalative LC50/4 h 30 mg/l (rat)

 107-98-2 1-methoxy-2-propanol

 Oral
 LD50
 5,660 mg/kg (rat)

 Dermal
 LD50
 13,000 mg/kg (rabbit)

 111-76-2 2-butoxyethanol

 Oral
 LD50
 1,200 mg/kg (ATE)

Dermal LD50 400 mg/kg (rat) Inhalative LC50/4 h 3 mg/l (ATE)

 64-17-5 ethanol

 Oral
 LD50
 7,060 mg/kg (rat)

Inhalative LC50/4 h 20,000 mg/l (rat) 78-83-1 butanol

 Oral
 LD50
 2,460 mg/kg (rat)

 Dermal
 LD50
 3,400 mg/kg (rabbit)

 1333-86-4 Carbon black

Oral LD50 10,000 mg/kg (rat)

· Serious eye damage/irritation Causes serious eye irritation.

• STOT-single exposure May cause drowsiness or dizziness.

(Contd. on page 9)

GB



Page 9/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

(Contd. of page 8)

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

· Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN number or ID number		
ADR, IMDG, IATA	UN1950	
UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	



Page 10/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

Transport hazard class(es) ADR Image: Class 2 5F Gases. Label 2.1 IMDG, IATA Image: Class 2.1 Gases. Label 2.1 Packing group ADR, IMDG, IATA Image: Class 2.1 Gases. Label 2.1 Packing group ADR, IMDG, IATA Packing group Not applicable. Special precautions for user Warning: Gases. Hazard identification number (Kemler code): - - FD,S-U SW1 Protected from sources of heat. Swage Code SW2 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Segregation Code SG69 For AEROSOLS with a maximum capacity of litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. For WASTE AEROSOLS: For VASTE AEROSOLS: Segregation as for the appropriate subdivision of clas 2. For VASTE AEROSOLS:		(Contd. of page
ADR Class 2 5F Gases. Label 2.1 IMDG, IATA Class 2.1 Gases. Label 2.1 Class 2.1 Gases. Label 2.1 Packing group ADR, IMDG, IATA not regulated Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW2 Prot AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity of litre: Category D. For WASTE AEROSOLS. Segregation Code SG9 For AEROSOLS with a capacity of litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity of 1 litre: Segregation as for the appropriate subdivision of class 2. Maritime transport in bulk according to IMO		Aerosols, flammable
Class 2 5F Gases. Label 2.1 IMDG, IATA 2.1 IMDG, IATA 2.1 Gass 2.1 Gases. Label 2.1 Packing group 2.1 ADR, IMDG, IATA not regulated Environmental hazards: Not applicable. Special precautions for user Warning: Gases. Hazard identification number (Kemler code): - F-D,S-U Stowage Code Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category C. Clear of living quarters. Segregation Code SG69 For AEROSOLS with a capacity above 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of clas 2. Kartitime transport in bulk according to IMO IMA	· Transport hazard class(es)	
Label 2.1 IMDG, IATA IMDG, IATA IMDG, IATA Improvemental state Class 2.1 Gases. Label 2.1 Packing group ADR, IMDG, IATA Packing group not regulated Environmental hazards: Not applicable. Special precautions for user Warning: Gases. Hazard identification number (Kemler code): - EMS Number: Stowage Code Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clast 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of clast 2. Maritime transport in bulk according to IMO IMO	ADR	
Label 2.1 IMDG, IATA IMDG, IATA IMDG, IATA Improvemental state Class 2.1 Gases. Label 2.1 Packing group ADR, IMDG, IATA Packing group not regulated Environmental hazards: Not applicable. Special precautions for user Warning: Gases. Hazard identification number (Kemler code): - EMS Number: Stowage Code Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Segregation Code SG69 For AEROSOLS with a maximum capacity of 'litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For WASTE AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clast 2. Maritime transport in bulk according to IMO Maritime transport in bulk according to IMO		
IMDG, IATA View Class 2.1 Gases. Label 2.1 Packing group ADR, IMDG, IATA ADR, IMDG, IATA not regulated Environmental hazards: Not applicable. Special precautions for user Warning: Gases. Hazard identification number (Kemler code): - F-D,S-U EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of respective for division 1.4 For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clast 2. Maritime transport in bulk according to IMO IMO	Class	2 5F Gases.
Class 2.1 Gases. Label 2.1 Packing group ADR, IMDG, IATA Packing group not regulated Environmental hazards: Not applicable. Special precautions for user Warning: Gases. Hazard identification number (Kemler code): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category C. Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:	· Label	2.1
Label 2.1 Packing group ADR, IMDG, IATA not regulated Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): Warning: Gases. FD, S-U F-D, S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. Maritime transport in bulk according to IMO	· IMDG, IATA	
Label 2.1 Packing group ADR, IMDG, IATA not regulated Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): Warning: Gases. FD, S-U F-D, S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. Maritime transport in bulk according to IMO		
Packing group ADR, IMDG, IATA not regulated Environmental hazards: Not applicable. Special precautions for user Warning: Gases. Hazard identification number (Kemler code): - F-D,S-U EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. Maritime transport in bulk according to IMO		
ADR, IMDG, IATA not regulated Environmental hazards: Not applicable. Special precautions for user Warning: Gases. Hazard identification number (Kemler code): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.		2.1
Special precautions for user Warning: Gases. Hazard identification number (Kemler code): - EMS Number: F-D,S-U Stowage Code SW12 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 'litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of clas 2. Maritime transport in bulk according to IMO Haritime transport in bulk according to IMO	ADR, IMDG, IATA	not regulated
Hazard identification number (Kemler code): - EMS Number: Stowage Code Stowage Code Swith Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of clas 2. Maritime transport in bulk according to IMO	Environmental hazards:	Not applicable.
class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of clas 2.		ode): - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre:
instruments Not applicable.		class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of clas 2.
	instruments	Not applicable.



Page 11/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

		(Contd. of page 10)
· Transport/Additional information:		
· ADR		
 Limited quantities (LQ) 	1L	
Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
· Transport category	2	
Tunnel restriction code	D	
·IMDG		
 Limited quantities (LQ) 	1L	
Excepted quantities (EQ)	Code: E0	
, ,	Not permitted as Excepted Quantity	
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1	

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

(Contd. on page 12)

⁻ GB



Page 12/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.06.2024

Version number 2.0 (replaces version 1.0)

Revision: 07.06.2024

Trade name: AQUEOUS BLACK SURFACER 1000 (Spray Type)

(Contd. of page 11) H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H252 Self-heating in large quantities; may catch fire. H280 Contains gas under pressure; may explode if heated. H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. · Department issuing SDS: Hobby Department · Contact: -· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Self-heat. 2: Self-heating substances and mixtures - Category 2 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 ** Data compared to the previous version altered.